

Panelling made easy



Make life easier with Geopanel

✓ Easy to fit ✓ Easy to maintain ✓ Easy to clean

We all lead hectic lives and at the end of a busy day want to return to a relaxing and easy to maintain home. Geopanel interior decorative panelling is a stylish, modern convenient interior decorative wall and ceiling panelling system that is easy to fit and simple to maintain.

CHOICE OF SIZES

The standard 250mm wide panel is ideal for walls and ceilings.

The wide 1 metre panel is ideal for bathroom walls and showers to instantly create a shower cubicle.



DECORATIVE AND STYLISH

The high gloss tongue and groove PVC panels are available in a wide variety of designs and colours from classic marble to realistic woodgrain through to shimmering diamond and contemporary granite there is something for everyone.

With a choice of attractive white, silver and black trims Geopanel is perfect for all walls and ceilings in homes and offices.

EASY TO FIT

- ✓ The perfect alternative to tiling
- ✓ No specialist training needed, easy to fit system.
- ✓ No drying time and grouting get the job done in one day
- ✓ Fix over existing surfaces including tiles
- ✓ Range of trims to give a professional finish.
- ✓ Light to handle and transport
- ✓ Simple to fit tongue and groove panels


EASY TO MAINTAIN

- √ 100% waterproof PVC core
- ✓ Hygienic, wipe clean surface
- ✓ Mould free
- ✓ No grouting to discolour or leak
- Excellent insulation and sound proofing



DIAMOND RANGE

A stunning shimmering design with diamond effect flecks to create a luxurious contemporary look.



MARBLE RANGE

Classic marble design available in six subtle shades that offers a smart traditional look.

STANDARD PANEL

2.7m long x 250mm wide x 5mm thick

Colours

BLACK MARBLE: GE8BMC PERGMAON MARBLE: GE8PMC LIGHT GREY MARBLE: GE8LGMC PASTEL GREY MARBLE: GE8PGMC

WIDE PANEL

2.4m long x 1m wide x 10mm thick

Colours

BLACK MARBLE: GE7BMC PERGMAON MARBLE: GE7PMC LIGHT GREY MARBLE: GE7LGMC TRAVERTINE MARBLE: GE7TRC


IVORY MARBLE: GE7IMC WHITE MARBLE: GE7WMC





Black Pergmaon Light Grey Pastel Grey Ivory

WOOD RANGE



GRANITE RANGE

Create a bold and modern statement with stunning black granite.

WIDE PANEL

2.4m long x 1m wide x 10mm thick

Colours

BLACK GRANITE: GE7BGC



Black Granite



WHITE GLOSS RANGE

High gloss pure white gives a clean and smooth finish. Available in STANDARD and WIDE panel.

STANDARD PANEL

2.7m long x 250mm wide x 5mm thick

Colours

WHITE GLOSS: GE8WHC

WIDE PANEL

2.4m long x 1m wide x 10mm thick

Colours

WHITE: GE7WHC



CEILING PANEL

Create an attractive bright functional ceiling that is easy to maintain. Two lengths of panel available with built in silver strip. All our standard panels can also be used as ceiling panels with the use of the Décor clip in strip.



✓ WHITE & SILVER 4m long x 200mm wide x 6mm thick panel

2.7m long panel: GE8TSWHC 4m long panel: GE8TSWHC4



ColoursWHITE





Finishing Trims

A range of trims available to ensure an easy professional fit.

5mm panels: Gloss White ,Silver & Black,

2700mm Length

10mm panels: Gloss White and Silver,

2400mm Lengths

INTERNAL CORNER TRIM:

Use on 90° internal corners

EXTERNAL CORNER TRIM:

Use on 90° external corners

END CAP U TRIM:

To start or finish panel installation

CLIP IN DÉCOR STRIP:

Use to create decorative strip between panels

H JOINT/DÉCOR STRIP:

To join panels either side by side or stacking. This has the effect of a silver or white décor strip

BASE SEAL TRIM:

Use with silicone to seal base of panels for wet applications (only available for 10mm panels)

Fire Rating: Class 1Y

Handy fitting instructions in every pack

www.freefoam.com sales@freefoam.com

Central Commercial Park Centre Park Road Cork IRELAND

T 021 496 6311 F 021 496 5273 77-83 St James Mill Road Northampton NN5 5JP UK

T 01604 591 110 F 01604 580 299


How to fit PVC profiles



Internal Corner Trim




External Corner Trim



End Cap U Trim



Clip in Décor Strip



H joint/Décor Strip



Base seal trim

Due to the limitations of the printing process colours may vary from actual products. Please check pack batch numbers when buying your Geopanel panelling.

Do not expose PVC panelling to direct sunlight, or temperatures in excess of 60°C. Freefoam reserve the right to alter the technical specifications in this brochure.